


SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS



Moving tons... So easily • Since 1977

SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS

DRIVE WHEELS



SAS-HP-DW-215X80-PB60-Ø11X5

Ø 215 mm	⌀ 11 mm
⌈ 80 mm	⚠ 1350 kg
⊖ 60 mm	⌚ BT
⚙ x5	⌚ 163950-129920



SAS-HP-DW-230X70-PB65-Ø13.5X5

Ø 230 mm	⌀ 13.5 mm
⌈ 70 mm	⚠ 1300 kg
⊖ 65 mm	⌚ ATLET
⚙ x5	⌚ 108987



SAS-HP-DW-230X70-PB45-Ø13.5X5

Ø 230 mm	⌀ 13.5 mm
⌈ 70 mm	⚠ 1300 kg
⊖ 45 mm	⌚ BV / Pimespo
⚙ x5	⌚ 3070053 / 95309393



SAS-HP-DW-230X75-PB30-Ø13.5X5

Ø 230 mm	⌀ 13.5 mm
⌈ 75 mm	⚠ 1400 kg
⊖ 30 mm	⌚ HYSTER-YALE
⚙ x5	⌚ 2770500-580013479



SAS-HP-DW-230X75-PB45-Ø14X5

Ø 230 mm	⌀ 14 mm
⌈ 75 mm	⚠ 1400 kg
⊖ 45 mm	⌚ Still / Wagner
⚙ x5	⌚ 359920



SAS-HP-DW-230X75-PB80-Ø14X6

Ø 230 mm	⌀ 14 mm
⌈ 75 mm	⚠ 1400 kg
⊖ 80 mm	⌚ BV / Pimespo
⚙ x6	⌚ 3070068 / 95309172



SAS-HP-DW-230X82-PB45-Ø14X5

Ø 230 mm	⌀ 14 mm
⌈ 82 mm	⚠ 1500 kg
⊖ 45 mm	⌚ Jungheinrich
⚙ x5	⌚ 63215600



SAS-HP-DW-250X100-PB80-Ø19X5

Ø 250 mm	⌀ 19 mm
⌈ 100 mm	⚠ 2100 kg
⊖ 80 mm	⌚ Still
⚙ x5	⌚ 9903803




SAS-HP-DW-250X75-PB80-Ø13X5

Ø 250 mm	⌀ 13 mm
⌈ 75 mm	⚠ 1450 kg
⊖ 80 mm	⌚ HYSTER-YALE
⚙ x5	⌚ 582042236



SAS-HP-DW-250X80-PB80-Ø18.5X5

Ø 250 mm	⌀ 18.5 mm
⌈ 80 mm	⚠ 1600 kg
⊖ 80 mm	⌚ Pimespo
⚙ x5	⌚ 81504005







SAS-HP-DW-250X75-PB80-Ø16X5

Ø 250 mm	⌀ 16 mm
⌈ 75 mm	⚠ 1450 kg
⊖ 80 mm	⌚ BT
⚙ x5	⌚ 138457



SAS-HP-DW-254X90-PB40-Ø15X5


Ø 254 mm	⌀ 15 mm
⌈ 90 mm	⚠ 1850 kg
⊖ 40 mm	⌚ HYSTER-YALE
⚙ x5	⌚ 1570483



SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS

DRIVE WHEELS




SAS-HP-DW-254X102-PB80-Ø18X5

Ø 254 mm	⌀ 18 mm
⌈ 102 mm	⚙️ 2000 kg
⊘ 80 mm	⚙️ Linde
⚙️ x5	⚙️ 39902311



SAS-HP-DW-285X100-BB68

Ø 285 mm	⌀ 20 mm
⌈ 100 mm	⚙️ 2200 kg
⊘ 68 mm	⚙️ JH
⚙️ x6	⚙️ 51115430




SAS-HP-DW-343X114-PB80-Ø18.5X7

Ø 343 mm	⌀ 18.5 mm
⌈ 114 mm	⚙️ 3050 kg
⊘ 80 mm	⚙️ Jungheinrich
⚙️ x7	⚙️ 6313503



SAS-HP-DW-343X114-PB90-Ø18.5X7

Ø 343 mm	⌀ 18.5 mm
⌈ 114 mm	⚙️ 3050 kg
⊘ 90 mm	⚙️ Jungheinrich
⚙️ x5	⚙️ 50262633



SAS-HP-DW-343X140-PB80-Ø18.5X7

Ø 343 mm	⌀ 18.5 mm
⌈ 140 mm	⚙️ 3750 kg
⊘ 80 mm	⚙️ RC-JH-HYSTER
⚙️ x7	⚙️ 1643642



SAS-HP-DW-343X140-PB90-Ø18.5X7

Ø 343 mm	⌀ 18.5 mm
⌈ 114 mm	⚙️ 3050 kg
⊘ 90 mm	⚙️ Jungheinrich
⚙️ x5	⚙️ 50429920



SAS-HP-DW-343X110-PB90-Ø18.5X7

Ø 343 mm	⌀ 18.5 mm
⌈ 110 mm	⚙️ 2900 kg
⊘ 90 mm	⚙️ Jungheinrich
⚙️ x7	⚙️ 51130049



SAS-HP-DW-350X127-PB80-Ø16X7

Ø 350 mm	⌀ 16 mm
⌈ 127 mm	⚙️ 3550 kg
⊘ 80 mm	⚙️ BT
⚙️ x7	⚙️ 162602



SAS-HP-DW-350X140-PB80-Ø16X7

Ø 350 mm	⌀ 16 mm
⌈ 140 mm	⚙️ 3900 kg
⊘ 80 mm	⚙️ BT
⚙️ x7	⚙️ 201332



SAS-HP-DW-360X130-PB90-Ø18.5X7

Ø 360 mm	⌀ 18.5 mm
⌈ 130 mm	⚙️ 3650 kg
⊘ 90 mm	⚙️ LINDE HALA
⚙️ x7	⚙️ 8428189







SAS-HP-DW-400X160-PB80-Ø16X7

Ø 400 mm	⌀ 16 mm
⌈ 160 mm	⚙️ 5100 kg
⊘ 80 mm	⚙️ -----
⚙️ x7	⚙️ -----



SAS-HP-DW-400X160-PB110-Ø15X8

Ø 400 mm	⌀ 15 mm
⌈ 160 mm	⚙️ 5100 kg
⊘ 110 mm	⚙️ BT
⚙️ x8	⚙️ 50112525



SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS

DRIVE WHEELS



SAS-HP-DW-400X160-PB110-Ø15,5X10

Ø 400 mm	⌀ 15.5 mm
160 mm	5100 kg
110 mm	JH
x10	51356844



SAS-HP-DW-400X160-PB110-Ø15,5X12

Ø 400 mm	⌀ 15.5 mm
160 mm	5100 kg
110 mm	JH
x12	52041025

STABILIZER WHEELS



SAS	⌀	→	←	↔	↓
SAS-80X30-HL30-BB17	80	30	30	17	200
SAS-100X40-HL40-BB15	100	40	40	15	295
SAS-100X40-HL40-BB17	100	40	40	17	295
SAS-125X50-HL60-BB20	125	50	60	20	550
SAS-125X50-HL50-BB25	125	50	50	25	550
SAS-125X50-HL50-BB20	125	50	50	20	550
SAS-125X54-HL60-BB20	125	54	60	20	600
SAS-125X60-HL60-BB25	125	60	60	25	650
SAS-125X60-HL62-BB25	125	60	62	25	650
SAS-125X60-HL64-BB20	125	60	64	20	650
SAS-125X54-HL60-BB30	125	54	60	30	600
SAS-125X50-HL60-BB20	125	50	60	20	550
SAS-125X50-HL55-BB20	125	50	55	20	550
SAS-125X40-HL50-BB20	125	40	50	20	450
SAS-140X54-HL60-BB20	140	54	60	20	900
SAS-140X60-HL60-BB30	140	60	60	30	1000
SAS-140X60-HL60-BB12	140	60	60	12	1000
SAS-140X60-HL68-BB15	140	60	68	15	1000
SAS-140X50-HL60-BB20	140	50	60	20	850
SAS-140X50-HL54-BB20	140	50	54	20	850
SAS-140X54-HL50-BB30	140	54	50	30	900
SAS-150X50-HL61-BB20	150	50	61	20	750
SAS-150X54-HL60-BB20	150	54	60	20	850
SAS-150X76-HL81-BB25	150	76	81	25	1050
SAS-150X54-HL60-BB20	150	54	60	20	850
SAS-150X55-HL60-BB25	150	55	60	25	850
SAS-150X60-HL60-BB20	150	60	60	20	950
SAS-150X50-HL60-BB20	150	50	60	20	850
SAS-150X40-HL40-BB20	150	40	40	20	450
SAS-150X48-HL60-BB20	150	48	60	20	750
SAS-160X45-HL45-BB30	160	45	45	30	700
SAS-180X65-HL75-BB25	180	65	75	25	1100

LOAD WHEELS FOR PALLET TRUCKS




SAS	⌀	→	←	↔	↓
SAS-8555-HL60-BB20	85	55	60	20	400
SAS-8560-BB20	85	60	60	20	450
SAS-8560-BB17	85	60	60	17	450
SAS-8570-BB20	85	70	70	20	530
SAS-8575-BB20	85	75	75	20	570
SAS-8575-HL80-BB20	85	75	80	20	570
SAS-8575-BB25	85	75	75	25	570
SAS-8575-BB17	85	75	75	17	570
SAS-8585-BB20	85	85	85	20	650
SAS-8580-BB25	85	80	80	25	610
SAS-8580-BBB17	85	80	80	17	610
SAS-8590-BB20	85	90	90	20	680
SAS-8590-BB25	85	90	90	25	680
SAS-8590-BB20	85	90	90	20	680
SAS-8595-BB20	85	95	95	20	720
SAS-8595-BB25	85	95	95	25	720
SAS-85100-BB20	85	100	100	20	760
SAS-85100-BB25	85	100	100	25	760
SAS-85102-BB17	85	102	102	17	780
SAS-85105-BB20	85	105	105	20	800
SAS-85105-BB25	85	105	105	25	800
SAS-85115-BB25	85	115	115	25	840







MCNY	⌀	→	←	↔	↓
MCNY-7060-BB25	70	60	60	25	550
MCNY-8270-BB25	82	70	70	25	700
MCNY-8280-BB25	82	80	80	25	800
MCNY-8290-BB25	82	90	90	25	900
MCNY-82100-BB25	82	100	100	25	1000
MCNY-8560-BB25	85	60	60	25	650
MCNY-8570-BB25	85	70	70	25	750



SAAL	⌀	→	←	↔	↓
SAAL-8030-HL35-BB15	80	30	35	15	150
SAAL-10040-HL45-BB15	100	40	45	15	250
SAAL-12540-HL45-BB20	125	40	45	20	350
SAAL-12550-HL60-BB20	125	50	60	20	450
SAAL-15050-HL60-BB20	150	50	60	20	550
SAAL-16050-HL60-BB20	160	50	60	20	600
SAAL-18050-HL60-BB20	180	50	60	20	700
SAAL-20050-HL60-BB20	200	50	60	20	800
SAAL-25050-HL60-BB25	250	50	60	25	1000



SAS-EZ	⌀	→	←	↔	↓
SAS-EZ-8580-BB20	85	80	80	20	600
SAS-EZ-8585-BB20	85	85	85	20	650
SAS-EZ-85110-BB20	85	110	110	20	840
SAS-EZ-9090-BB20	90	90	90	20	700



SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS



10,000+
Customers

• • •
Our products help us forge long-term relationships with our customers.

5,000+
Products





• • •
In every size, material and combination: to fulfill every need

40+
Countries

• • •
Our products are employed in all seven continents on the planet.

45+ Years
of Quality

• • •
An unmatched emphasis on excellence since 1977



SAS-HP

HIGH PERFORMANCE POLYURETHANE WHEELS

Muvtons: The Company

Muvtons Castors was established by Mr. Bhagwan Singh in 1977 with one simple vision: To manufacture Wheels & Castors that surpass all expectations of quality and performance. Today, having grown to become industry leaders in wheels & castors, we remain committed to that vision as strongly as ever.

We offer the most comprehensive range of solutions for our customers; our products can ferry loads from 100 Kg up to 50 tonnes, and are available in a variety of materials and configurations to fulfil every tenable requirement. We perform an application study before recommending mobility solutions, employ automated machinery and advanced manufacturing processes, and undertake rigorous in-house product testing to ensure that your investment performs impeccably for years to come.



Muvtons Castors Pvt. Ltd.

C-40, Phase-2,
Noida-201305, INDIA



🌐 www.muvtons.com
✉ sales@muvtons.com
📞 +91 - 991 02 67 000
🕒 +91 - 991 09 66 900